

2018

Jakubzig B, Baltes F, Henze S, Schlesinger M, Bendas G. *Mechanisms of Matrix-Induced Chemoresistance of Breast Cancer Cells - Deciphering Novel Potential Targets for a Cell Sensitization.* Cancers (Basel) 10 (2018)

Gitlin-Domagalska A, Mangold M, Dębowski D, Łęgowska A, Gütschow M, Rolka K. *Matriptase-2: Monitoring and Inhibiting its Proteolytic Activity.* Future Med. Chem. 2018, 10, 2745-2761.

Reyes-Resina I, Navarro G, Aguinaga D, Canela EI, Schoeder CT, Zaluski M, Kiec-Kononowicz K, Saura CA, Müller CE, Franco F. *Molecular and functional interaction between GPR18 and cannabinoid CB2 G protein-coupled receptors. Relevance in neurodegenerative diseases.* Biochem. Pharmacol. 2018, 157, 169-179

Moghadaam AJ, Crüsemann M, Alanjary M, Harms H, Dávila-Céspedes A, Blom J, Poehlein A, Ziemert N, König GM, Schäberle TF. *Analysis of the genome and metabolome of marine Myxobacteria reveals high potential for biosynthesis of novel specialized metabolites.* Scientific reports 2018 Nov. 9; 8 (16600)

Krebs KM, Pfeil EM, Simon K, Grundmann M, Häberlein F, Bautista-Aguilera OM, Gütschow M, Weaver CD, Fleischmann BK, Kostenis E. *Label-Free Whole Cell Biosensing for High-Throughput Discovery of Activators and Inhibitors Targeting G Protein-Activated Inwardly Rectifying Potassium Channels.* ACS Omega. 2018 Nov 30;3(11):14814-14823. doi: 10.1021/acsomega.8b02254.

Hoß SG, Grundmann M, Benkel T, Gockel LM, Schwarz S, Kostenis E, Schlesinger M, Ilan N, Vlodavsky I, Bendas G. *Pro-Angiogenic Effects of Latent Heparanase and Thrombin Receptor-Mediated Pathways-Do They Share a Common Ground in Melanoma Cells?* Thromb Haemost 118 (2018) 1803–14

Ponert JM, Gockel LM, Henze S, Schlesinger M. *Unfractionated and Low Molecular Weight Heparin Reduce Platelet Induced Epithelial-Mesenchymal Transition in Pancreatic and Prostate Cancer Cells.* Mol Basel Switz 23 (2018)

Gockel LM, Ponert JM, Schwarz S, Schlesinger M, Bendas G. *The Low Molecular Weight Heparin Tinzaparin Attenuates Platelet Activation in Terms of Metastatic Niche Formation by Coagulation-Dependent and Independent Pathways.* Mol Basel Switz 23 (2018)

Heimer P, Schmitz T, Bäuml CA, Imhof D. *Synthesis and Structure Determination of μ -Conotoxin PIIIA Isomers with Different Disulfide Connectivities.* J. Vis. Exp. 2018 Oct. 2; (140) e58368

Steinebach C, Ambrozak A, Dosa S, Beedie SL, Strope JD; Schnakenburg G, Figg WD,

Gütschow M. *Synthesis, Structural Characterization and Antiangiogenic Activity of Polyfluorinated Benzamides*. ChemMedChem 2018 Oct 8; 13(19):2080-2089

Moghaddam AJ, Dávila-Céspedes A, Kehraus S, Crüsemann M, Köse M, Müller CE, König GM. *Cyclopropane-containing fatty acids from the marine bacterium Labrenzia sp. 011 with antimicrobial and GPR84 activity*. Mar. drugs 2018 Oct 8; 16 (10)

Steinebach C, Lindner S, Udeshi ND, Mani DC, Kehm H, Köpff S, Carr SA, Gütschow M, Krönke J. *Homo-PROTACs for the Chemical Knockdown of Cereblon*. ACS Chem. Biol. 2018 Sep 21;13(9): 2771-2782

Schoeder CT, Kaleta M, Mahardhika A, Olejarcz-Maciej A, Łażewska D, Kieć-Kononowicz K, Müller CE. *Structure-activity relationships of imidazothiazinones and analogs as antagonists of the cannabinoid-activated orphan G protein-coupled receptor GPR18*. Eur. J. Med. Chem. 2018, 155, 381-397.

Reher R, Kuschak M, Heycke N, Annala S, Kehraus S, Dai HF, Müller CE, Kostenis E, König GM, Crüsemann M. *Applying Molecular Networking for the Detection of Natural Sources and Analogues of the Selective Gq Protein Inhibitor FR900359*. J. Nat. Prod. 2018, 81, 1628-1635.

Breuer C, Lemke C, Schmitz J, Bartz U, Gütschow M. *Synthesis and kinetic evaluation of ethyl acrylate and vinyl sulfone derived inhibitors for human cysteine cathepsins*. Bioorg Med Chem 2018 June 15; 28 (11) 2008-2012

Reher R, Kühl T, Annala S, Benkel T, Kaufmann D, Nubbemeyer B, Odhiambo JP, Bäuml CA, Kehraus S, Crüsemann M, Kostenis E, Tietze D, König GM, Imhof D. *Deciphering specificity determinants for FR900359-derived Gaq inhibitors based on computational and structure-activity studies*. ChemMedChem 2018 June 16; 13(16) 1634-1643

Kotz S, Kullmann M, Kalayda GV, Dyballa-Rukes N, Jaehde U, Metzger S. *Optimized two-dimensional gel electrophoresis in an alkaline pH range improves the identification of intracellular CFDA-cisplatin-protein adducts in ovarian cancer cells*. Electrophoresis 2018 June; 39(12): 1488-1496

Schiedel AC, Kose M, Barreto C, Bueschbell B, Morra G, Sensoy O, Moreira IS. *Prediction and Targeting of Interaction Interfaces in G-protein Coupled Receptor Oligomers*. Curr Top Med Chem May 2018; 18 (8) 714-746

Mangold M, Gütschow M, Stirnberg M. *A Short Peptide Inhibitor as an Activity-Based Probe for Matriptase-2*. Pharmaceuticals 2018, 11, 49.

Schoeder CT, Hess C, Madea B, Meiler J, Müller CE. *Pharmacological evaluation of new constituents of "Spice": synthetic cannabinoids based on indole, indazole, benzimidazole and carbazole scaffolds*. Forensic Toxicol. 2018, 36, 385-403.

Köse M, Gollos S, Karcz T, Fiene A, Heisig F, Behrenswerth A, Kieć-Kononowicz K, Namasivayam V, Müller CE. *Fluorescent-labeled selective adenosine A_{2B} receptor antagonist enables competition binding assay by flow cytometry*. *J. Med. Chem.* 2018, 61, 4301-4316

Gazzaz M, Kinzig M, Schaeffeler E, Jübner M, Hsin CH, Li X et al. *Drinking ethanol has few acute effects on CYP2C9, CYP2C19, NAT2, and P-Glycoprotein activities but somewhat inhibits CYP1A2, CYP2D5, and intestinal CYP3A: So What?* *Clin Pharmacol Ther* 2018; 104:1249-59

Moghaddam AJ, Poehlein A, Fisch K, Alanjary M, Daniel R, König GM, Schäberle TF. *Draft genome sequences of the obligatory marine myxobacterial strains Enhygromyxa salina SWB005 and SWB007*. *Genome announc.* 2018 April 26; 6(17) e00324-18

Kotz S, Kullmann M, Kalayda GV, Dyballa-Rukes N, Jaehde U, Metzger S. *Optimized two-dimensional gel electrophoresis in an alkaline pH range improves the identification of intracellular CFDA-cisplatin-protein adducts in ovarian cancer cells*. *Electrophoresis*. 2018; 39: 1488-1496.

Hinz S, Navarro G, Barrot-Escuela D, Seibt BF, Ammon YC, de Filippo E, Danish A, Lacher SK, Cervinková B, Rafehi M, Fuxé K, Schiedel AC, Franco R, Müller CE. *Adenosine A_{2A} receptor ligand recognition and signaling is blocked by A_{2B} receptors*. *Oncotarget* 2018, 9, 13593-13611

Sarin N, Engel F, Rothweiler F, Cinatl J, Michaelis M, Frötschl R, Fröhlich H, Kalayda GV. *Key Players of Cisplatin Resistance: Towards a Systems Pharmacology Approach* *Int J Mol Sci.* 2018; 19: 767.

Heimer P, Tietze AA, Bäuml CA, Resemann A, Mayer FJ, Suckau D, Ohlenschläger O, Tietze D, Imhof D. *Conformational μ -conotoxin PIIIA isomers revisited: The impact of cysteine pairing on disulfide bond assignment and structure elucidation*. *Anal.Chem.* 2018 Feb. 03; 90(5) 3321-3327

Kumar A, Wißbrock A, Goradia N, Bellstedt P, Ramachandran R, Imhof D. Ohlenschläger O. *Heme interaction on the intrinsically disorderd N-terminal peptide segment of human cystathionine- β -synthase*. *SciRep.* 2018 Feb. 6; 8:2474

Crüsemann M, Reher R, Schamari I, Brachmann AO, Ohbayashi T, Kuschak M, Carbo-Pinto M, Reuter T, Kehraus S, Hallab A, Schäberle FT, Fleischmann BK, Kostenis E, Wenzel D, Müller CE, Kikuchi Y, Piel J, Carlier A, Eberl L, König GM. *Heterologous expression, biosynthetic studies and ecological function of the selective Gq-signaling-inhibitor FR900359*. *Angew. Chem. Int. Ed.* 2018, 57, 836-840.

Grundmann M, Merten N, Malfacini D, Inoue A, Preis P, Simon K, Rüttiger N, Ziegler N, Benkel T, Schmitt NK, Ishida S, Müller I, Reher R, Kawakami K, Inoue A, Rick U, Kühl T, Imhof D, Aoki J, König GM, Hoffmann C, Gomeza J, Wess J, Kostenis E. *Lack of beta-arrestin signaling in the absence of active G proteins*. *Nature Commun.* 2018, 9, 341.

Ponert JM, Schwarz S, Haschemi R, Müller J, Pötzsch B, Bendas G, Schlesinger, M *The mechanisms how heparin affects the tumor cell induced VEGF and chemokine release from platelets to attenuate the early metastatic niche formation.* PLoS One. 13(1) (2018)

Kranawetvogl A, Küppers J, Siegert M, Gütschow M, Worek F, Thiermann H, Elsinghorst PW, John H. *Bioanalytical Verification of V-type Nerve Agent Exposure: Simultaneous Detection of Phosphonylated Tyrosines and Cysteine-containing Disulfide-adducts Derived from Human Albumin.* Anal. Bioanal. Chem. 2018, 410, 1463-1474.